

Index

A

add-compare-select operation, 591
algebraic decoding, 421, 466
alternate mark inversion (AMI), 9
Anderson, J. B., 637
Arthurs, E., 188
asymptotic coding gain, 521, 604
asymptotic equipartition property, 106
autocorrelation function, 59

B

Baker, T., 639
bandpass matched filter, 211
bandwidth, definitions, 234
bandwidth efficiency, 201–202, 246
Bayes' rule, 22
BCH bound, 460
Bellman, R. A., 585
Bello, P. A., 355
Benedetto, S., 632
Bennett, W. R., 235, 279
Berger, T., 8
Berlekamp, E., 398, 471, 477

Bhargava, V., 521
Bhattacharyya distance, 311, 384
Biglieri, E., 631
binary entropy function, 92
binary symmetric channel, 24, 94, 313, 317
binomial coefficient, 27
binomial distribution, 27
bit, 90
Blahut, R., 332, 398, 464, 471, 499
block interference channel, 378, 391
block source code, 105
Bose, R., 455
bound
 Bhattacharyya, 311, 324, 597
 Chebyshev, 50
 Chernoff, 51, 88, 311
 Markov, 50, 334
 union, 22, 176, 324
bounded distance decoding, 471, 481
Box–Muller method, 41, 295
Bracewell, R., 244
Bucher, E. A., 609
Butman, S., 374

C

- Cain, J. B., 580
- Calderbank, A. R., 632
- catastrophic encoders, 572
- central limit theorem, 55
- channel
 - binary erasure, 96, 384
 - binary symmetric, 24
 - discrete memoryless, 95
 - symmetric, 97, 317
 - Z, 96, 136, 384
- channel capacity, 6, 97
 - additive Gaussian noise, 115–123
- channel coding theorem, 322–327, 331
 - converse to, 100
- channel encoder, 10
- characteristic function, 47
- characteristic of field, 402
- Chase, D., 487, 519
- Chen, C. L., 458
- chi-squared distribution, 41
- Chien, R., 471, 474
- Clark, G., 580
- code division multiple access (CDMA), 248
- codes
 - augmented, 491
 - BCH, 455
 - block, 301, 393
 - CCSDS standard, 507
 - concatenated, 500
 - convolutional, 303, 552
 - CRC, 452, 494, 495
 - cyclic, 442
 - dual, 416
 - dual- k , 561
 - expurgated, 491
 - extended, 490
 - Golay, 449, 491, 511, 520
 - Hamming, 394, 413, 428, 462
 - ISBN, 541
 - lengthened, 492
 - linear, 397, 411
 - multilevel, 529
 - parity check, 415
 - perfect, 435
 - product, 497
 - punctured, 490
 - quasi-perfect, 435
 - Reed–Muller, 429
 - Reed–Solomon, 463, 501
 - SEC/DEC, 427, 491
 - self-dual, 416
 - shortened, 492
 - trellis, 301, 550
- coding gain, 514
- column distance function, 570
- complete decoding, 425
- complete orthonormal basis, 154
- complex envelope, 147
- computational cutoff rate, 318, 615
- Conan, J., 578
- conditional p.d.f., 36
- conditional probability, 22
- connection polynomial, 473
- constraint length, 554
- continuous phase modulation (CPM), 637
- convex function, 91
- convolution of functions, 48
- Conway, J. H., 268
- correlation, 44
- correlation coefficient, 45
- coset leader, 423
- Costello, D. J., 398, 470, 552, 575
- covariance, 44
- covariance matrix, 45
- critical rate, 329
- cumulative metrics, 587

D

- data processing lemma, 100
- Davisson, L., 18, 55
- DeBuda, R., 279
- decision depth, 573
- decision theory, 76–85
- design distance, 457
- detection
 - coherent, 151
 - noncoherent, 204–210

difference signal, 171
differential encoding, 189–191
differential PSK
 performance, 220–224, 229
 receiver structure, 216–220
dimensionality of constellation, 156, 244
Dirac delta function, 33
discrete Fourier transform, 67, 407, 472
discrete memoryless source, 105
distribution function, 26
diversity order, 523, 526, 636
diversity transmission, 523
Divsalar, D., 637
Dym, H., 188
dynamic programming, 587

E

eigenfunction, eigenvalue, 71
Elias, P., 436, 551
ensemble average error probability, 324, 327
ensemble of codes, 319, 322
ensemble of sample functions, 58
entropy, 89
 conditional, 93
erasure locator polynomial, 483
erasure locators, 482
ergodicity, 68
Ericsson, T., 368
error correction guarantee, 419
error detection guarantee, 419
error locator, 473
error prob
 antipodal, 173
 M-PSK, 188–189
 M-QAM, 193–195
 noncoherent orthogonal, 213–215
 orthogonal, 174, 179
 Rayleigh fading, 225–232
errors and erasures decoding, 466, 482
event, 19
excess bandwidth factor, 241
expectation, 42
exponential distribution, 41

exponentially equivalent, 177
extension field, 399

F

fading
 flat, 148
 Rayleigh, 149
 slow, 148
fading channels, 148
Fano, R. M., 101, 611, 613
feedback decoding, 617
field
 Borel, 20
 finite, 397
 Galois, 398
 probability, 19
 sigma, 20
Forney, G. D., 268, 279, 465, 471, 482, 487, 489, 500, 551, 585, 634
Foschini, G., 197
Franks, L., 152
free distance of trellis codes, 571, 625, 649
frequency response, 65
frequency-shaping pulse, 638
Fung, D., 637

G

Gallager, R., 101, 322, 325, 327, 332
gamma function, 260
Gaussian distribution, 28
Geist, J. M., 580
generator matrix, 412, 445, 560
generator polynomial, 443
geometric distribution, 27
Gilbert bound, 437
Gilbert–Elliot channel, 75, 503
Golay, 13, 383, 435
Gold sequences, 250
Golomb, S., 249
Gorenstein, D. C., 471
Gram–Schmidt procedure, 157
Gray, R. M., 18, 55

Gray coding, 188, 193
Griesmer, 436
ground field, 400

H

Hadamard matrix, 160, 185, 255
Hagenauer, J., 360, 582
Hamming, R. W., 13
Hamming bound, 432
Hamming distance, 306, 384
Hamming weight, 417
hard-decision decoding, 84
Hartley, R. V. L., 12
Hekstra, A., 594
Helgert, H., 432
Heller, J. A., 575, 618
Ho, P., 637
Hocquenghem, A., 455
Horner's rule, 471
Huffman codes, 110
Hughes, L. W., 179

I

impulse response, 65
incomplete decoding, 426
independent events, 24
independent r.v.'s, 37
information theory inequality, 91
integrate-and-dump detector, 168
Integrated Services Digital Network (ISDN), 13
interleaving/deinterleaving, 356, 502, 505, 507
intersymbol interference (ISI), 161
inverse circuits, 564
irreducible polynomial, 400
irrelevant data, 80, 134

J

Jacobs, I. M., 152
Jayant, N. S., 8

Jelinek, F., 611, 615
Jensen's inequality, 127, 267
Johannesson, R., 584
jointly Gaussian r.v.'s, 45
Jordan, K. L., 343, 354
Justesen, J., 502

K

Karhunen-Loeve expansion, 71, 121, 163
Kelly, J. L., 5
Kennedy, R. S., 301
kissing number, 271
Korzhik, V. I., 494
Kraft inequality, 108, 137
Kronecker delta function, 69, 101

L

Lakshman, M., 527
lattice
 A_2 , 268
 D_4 , 270
 E_8 , 276
 Z^N , 268
 binary, 272
 fcc, D_3 , 268
 fundamental coding gain, 274
 partition, 271
lattices, description of, 268
laws of large numbers, 52-54
least common multiple polynomial, 455
Lee, L.-N., 345, 388, 577
Lempel, A., 113
Leon-Garcia, A., 18
Levesque, A., 398, 517
Levitt, B., 608
likelihood ratio, 86
Lin, S., 398, 470, 552
Lindsey, W. C., 179
linear feedback shift register synthesis, 475

M

MacWilliams, J., 249, 398, 432
majority logic decodable, 470
Manchester (biphase) signals, 240
marginal p.d.f., 35
Markov inequality, 50, 334
Markov sequence, 73, 235
Markov source, 112
Maseng, T., 645
Massey, J. L., 13, 301, 389, 471, 475, 564, 613
matched filter bound, 204
maximal length sequences, 249
maximum a posteriori (MAP) decision, 79, 164
maximum distance separable (MDS), 436, 463
maximum likelihood decision, 79, 305, 421
maximum likelihood decoding of convolutional codes, 584
McEliece, R. J., 373, 376, 395, 436
McMillan, B., 108
mean, 43
mean square value, 43, 59
Meggit decoder for cyclic codes, 469
memory order, 550, 554
metric, 305
Michelson, A. M., 398, 517
minimal polynomial, 404
minimum distance decoding, 422
minimum Hamming distance, 418, 571
Modestino, J. W., 610
modified Bessel function, 209
modulation
 antipodal, 158, 173, 314
 biorthogonal, 181–183
 frequency shift keying, 144
 lattice-based, 196–201
 M -ary orthogonal, 178–180
 on-off, 175
 orthogonal, 159, 174
 phase shift keying, 144, 157, 185–188
 pulse amplitude modulation (PAM), 143, 191–193, 238

 quadrature amplitude, 160, 194–196, 242–243
 simplex, 184
modulation index, CPM, 638
modulator, 8, 143
monic polynomial, 399
Mui, S. Y., 610
Mulligan, M. J., 649
multi- h codes, 653
mutual information, 93

N

narrow sense BCH codes, 456
nat, 90
node error, 596
 probability, 597
noise, additive white Gaussian, 62, 151
Noll, P., 8
noncentral chi-squared distribution, 42
noncoherent combining loss, 260, 355
nonreturn-to-zero signals (NRZ), 169, 238
nonsystematic convolutional encoders, 554
Nordstrom, A. W., 434
null space, 415
Nyquist, H., 12, 241

O

Oberst, J. W., 221
Omura, J., 265, 335, 585, 608
optimal distance profile (ODP) codes, 574
optimal free distance (OFD) codes, 574
order of field element, 402
orthonormal basis, 69, 153
orthonormal series expansion, 69

P

Paaske, E., 584
Papoulis, A., 18, 55
Pareto distribution, 615

parity check matrix, 415, 562
 parity check polynomial, 446
 partial-band jamming, 263
 Peterson, W., 398, 471
 phase tree, 639
 photon counting, 84, 370
 Pierce, J., 371
 Pietrobon, S., 632
 Plotkin bound, 436, 575
 Poisson distribution, 84
 power spectral density, 64
 power spectrum of digital signals, 235
 prefix-free codes, 107
 primitive BCH codes, 456
 primitive element, 402
 primitive polynomial, 402, 462
 Proakis, J., 222, 231, 260, 261
 probability density function, 27
 probability system (*space*), 20
 processing gain, 253
 prolate spheroidal wave function, 72
 pulse code modulation (PCM), 12
 pulse position modulation (PPM), 10, 237, 372, 385

Q

$Q(x)$ function, 30
 quadriphase shift keying, 185, 188
 quantizing, 39

R

R_0 parameter, 317, 319, 330, 336–350
 Rader, C. M., 594
 raised cosine signals, 240
 random binary wave, 62
 random coding exponent, 327
 random variable, 25
 rate
 bit, 143
 signalling, 143
 rate (of code), 304, 554
 rate distortion function, 6
 Ray-Chaudhuri, D., 455

Rayleigh distribution, 32
 receiver
 basis function, 165
 correlation, 165
 matched filter, 166
 noncoherent correlator, 210
 noncoherent matched filter, 211
 reciprocal polynomial, 446
 Reed, I. S., 430
 Reeves, A. H., 12
 repetition coding, 315, 416, 435, 524
 Rician distribution, 32
 Rimoldi, B., 637, 646
 Robinson, J. P., 435
 rotational invariance, 632
 run-length codes, 111, 138
 Ryan, W. E., 366, 578, 608

S

Sain, J. K., 564
 Saltzberg, B., 211
 Salz, J., 221
 sample function, 57
 sample space, 19
 Sayegh, S., 530
 Schilling, D. L., 221
 scramblers, 532
 second moment, 43
 sequential decoding, 585, 611
 Seshadri, N., 532
 set partitioning, 620
 Shannon, C. E., 5, 13, 303
 signal constellation, 155
 signal spaces, 152, 155
 Simmons, S. J., 652
 Simon, M. K., 179, 197, 637
 simplex, 184
 Singleton bound, 435
 Slepian, D., 72, 384
 Sloane, N. J. A., 249, 268, 398, 432, 632
 Smith, J. G., 197
 soft-decision decoding, 307
 source, information, 3
 source encoder/decoder, 6–7
 sphere packing, 196, 273

split-state transition diagram, 597
 spread spectrum
 direct sequence, 248
 frequency hopping, 256–260
 spread spectrum modulation, 247
 square-law combining, 259
 square-root raised cosine filter, 241
 stack decoding algorithm, 611
 standard array, 423
 standard deviation, 43
 Stark, W., 363, 376
 state space, 565
 state transition diagram, 566
 state vector, 564
 stationary process, 59
 Steiner, M., 184
 Stinaff, R. D., 432
 stochastic processes, 57
 subfield, 402
 sublattice, 271
 sufficient statistics, 80, 134
 Sundberg, C.-E. W., 637
 survivor paths, 587
 Svensson, A., 653
 syndrome, 396, 422, 471
 syndrome polynomial, 466
 systematic encoding, 397, 414, 450, 554

T

Tausworthe, R., 235, 279
 threshold decoding, 584
 Tietavainen, A., 435
 transfer function bounds, 602–605
 transfer function of code, 598
 trellis coded modulation (TCM), 619
 trellis diagram, 567
 Trumpis, B. D., 562, 580
 two-codeword bound, 310, 314
 typical sequences, 106

U

Ungerboeck, G., 352, 551, 619, 628
 uniform distribution, 28

V

Van de Meeberg, L., 606
 Van der Ziel, A., 151
 van Tilborg, H., 518
 Vandermonde determinant, 461
 variance, 43
 Varshamov bound, 439
 Verhoeff, T., 432
 very noisy channels, 333, 386
 Viterbi, A. J., 179, 265, 335, 551, 561, 585, 597
 Viterbi algorithm, 587–588, 648
 Voronoi zone, 271

W

Wagner decoding, 518, 531
 Weber, C. L., 152
 Wei, L.-F., 632
 weight enumerator polynomial, 417, 464, 598
 weight spectrum, 417
 Welch, L. R., 235, 250, 279
 Weldon, E. J., 398
 white Gaussian noise, 62
 wide-sense stationary, 60
 Wilson, S. G., 366, 527, 578, 608, 649
 Wittke, P., 652
 Wolf, J. K., 463, 487, 518, 632
 Wolfowitz, J., 504
 Wozencraft, J. M., 152, 301
 Wu, W., 190

Y

Yasuda, Y., 582

Z

Zehavi, E., 632
 Zierler, N., 471
 Zigangirov, K., 611
 Ziv, J., 113